

Sports Lighting

Arnfield Linear Court Light 120W 5000K

















Designed to meet LTA Standards, Bespoke court lighting optics, Supplied with 1.5m prewired H05RN-F cable, IK10 rating, Option of lumens maintenance



General Data

Technology	LED
Mounting options	Suspended Surface Mount
Install Options	Suspension Equipment Mounting Brackets
Electrical Connector Type	Flying Lead
Input Cable	1.5m H05RN-F 3-Core
Input Electrical Connection	Live Neutral Earth
General Application	Sports Lighting Industrial
Operating Temperature Range °C	-30 - +50
Warranty (Years)	5



430081	Technical Specification	
Optical Data		
LED Manufacturer / Type	Nichia	
Fixture Luminous Flux (Lm)	20136	
Luminaire Efficacy @5000K (lm/W)	168	
LOR %	100	
Beam Angle°	70	
<u>Light Source Data</u>		
Energy Class	С	
Colour Temperature (K)	5000	
Light Colour	Daylight	
CRI Ra	80	
Electrical Data		
Wattage (W)	120	
Total Power Consumption (W)	119	
Mains voltage (V)	220 - 240	
Lamp power factor	0.92	
Electrical protection	Class I	
Driver Output (V)	22 - 61	
Driver Output (V) Driver Output Current (mA)	22 - 61 3150	
Driver Output Current (mA)	3150	
Driver Output Current (mA) Control Gear Type CC or CV	3150 Constant Current	
Driver Output Current (mA) Control Gear Type CC or CV Dimmable	3150 Constant Current No	



430081	Technical Specification
Lifetime Data	
Lifespan L70 B50 @25°C (Hrs)	110000
Lifespan L80 B20 @25°C (Hrs)	70000
Lifespan L90 B10 @25°C (Hrs)	31000
Physical Data	
Housing colour	Black RAL 9005
Body material	Aluminium Alloy
Driver Housing	Aluminium Alloy
IP Rating	65
IK Rating	10
Diffuser Material	Polycarbonate
Diffuser finish	Optical Lens
Nominal Product Length (mm)	1178
Nominal Product Width (mm)	137
Nominal Product Height (mm)	102
Weight (kg)	7
Standards and Approvals	
Manufactured In Accordance To	EN 60598-1
CE Mark	Yes
UKCA Mark	Yes
WEEE Symbol	Yes
Certificate Of Conformity	Available on Request
Accredited Members	LIA, ISO9001



430081

Technical Specification

